## **Self-Care Assessment**

The following self-care assessment scale is by Saakvitne and Pearlman from the Traumatic Stress Institute. It is designed as a tool to measure how well you are addressing your own needs. It is useful to revisit this assessment regularly.

Rate the following areas in frequency:

5=frequently, 4=occasionally, 3=rarely, 2=never, and 1=it never occurred to me.

Eat regularly (e.g. breakfast, lunch and dinner) Eat healthily Exercise Get regular medical care for prevention Get medical care when needed Take time off when sick Get massages Dance, swim, walk, run, play sports, sing, or do some other physical activity that is fun Take time to be sexual — with yourself, with a partner Get enough sleep Wear clothes you like Take vacations Take day-trips or mini-vacations Make time away from telephones  Psychological Self-Care  Make time for self-reflection Have your own personal psychotherapy Write in a journal Read literature that is unrelated to work Do something at which you are not expert or in charge of Decrease stress in your life	<ul> <li>Notice your inner experience – listen to your thoughts, judgments, beliefs, attitudes and feelings</li> <li>Let others know different aspects of you Engage your intelligence in a new area (e.g. go to an art museum, history exhibit, sports event, auction, theater performance)</li> <li>Practice receiving from others</li> <li>Be curious</li> <li>Say no to extra responsibilities sometimes</li> <li>Emotional Self-Care</li> <li>Spend time with others whose company who enjoy</li> <li>Stay in contact with important people in your life</li> <li>Give yourself affirmations, praise yourself</li> <li>Love yourself</li> <li>Reread your favorite books, review favorite movies</li> <li>Identify comforting activities, objects, people, relationships, places, and seek them out</li> <li>Allow yourself to cry</li> <li>Find things that make you laugh</li> <li>Express your outrage in social action, letters, donations, marches and protests</li> </ul>
--	--

Rate the following areas in frequency:

5=frequently, 4=occasionally, 3=rarely, 2=never, and 1=it never occurred to me.

Spiritual Self Care	Workplace or Professional Self-Care
<ul> <li>Make time for reflection</li> <li>Spend time with nature</li> <li>Find a spiritual connection or community</li> <li>Be open to inspiration</li> <li>Cherish your optimism and hope</li> <li>Be aware of non-material aspects of life</li> <li>Try at times not to be in charge or the expert</li> <li>Be open to not knowing</li> <li>Identify what is meaningful to you and notice its place in your life</li> <li>Meditate</li> <li>Pray</li> <li>Sing</li> <li>Spend time with children</li> <li>Have experiences of awe</li> <li>Contribute to causes in which you believe</li> <li>Read inspirational literature (e.g. talks, music)</li> </ul>	Take a break during the workday (e.g. lunch) Take time to chat with co-workers Make quiet time to complete tasks Identify projects or tasks that are exciting and rewarding Set limits with clients and colleagues Balance your caseload so no one day or part of a day is "too much" Arrange your work space so it is comfortable and comforting Get regular supervision or consultation Negotiate for your needs (benefits, pay raise) Have a peer support group Develop a non-trauma area of professional interest  Balance  Strive for balance within your work life and work day Strive for balance among work, family, relationships, play and rest

From *Transforming the Pain: A Workbook on Vicarious Traumatization* by Karen W. Saakvitne and Laurie Anne Pearlman. Copyright 1996 by the Traumatic Stress Institute/Center for Adult and Adolescent Psychotherapy.

# Making a Commitment to Yourself Action Plan

Write down three things you can do to address secondary trauma for each arena: professional

anup	ersonal.
Profe	essional
1.	
1	
1	
Perso	
1.	
2.	

	* ( * )

# ERORESSIONAL QUALITY OF LIFE SOALE (EROCOL

#### COMPASSION SATISFACTION AND COMPASSION FATIGUE (PROQOL) VERSION 5 (2009)

When you [help] people you have direct contact with their lives. As you may have found, your compassion for those you [help] can affect you in positive and negative ways. Below are some-questions about your experiences, both positive and negative, as a [helper]. Consider each of the following questions about you and your current work situation. Select the number that honestly reflects how frequently you experienced these things in the <u>last 30 days</u>.

1.	I am happy.
2.	I am preoccupied with more than one person I [help].
3.	I get satisfaction from being able to [help] people.
4.	I feel connected to others.
5.	jump or am startled by unexpected sounds.
6.	I feel invigorated after working with those I [help].
7.	I find it difficult to separate my personal life from my life as a thele at
8.	I am not as productive at work because I am losing sleep over traumatic experiences of a person I [help].
9. 10.	I think that I might have been affected by the traumatic stress of those I [help].  I feel trapped by my job as a [helper].
- 11.	Because of my [helping], I have felt "on edge" about various things.
12.	I like my work as a [helper].
13.	I feel depressed because of the traumatic experiences of the people I [help].
14.	I feel as though I am experiencing the trauma of someone I have [helped].
15.	I have beliefs that sustain me.
16.	I am pleased with how I am able to keep up with [helping] techniques and protocols.
17.	I am the person I always wanted to be.
8.	My work makes me feel satisfied.
9.	I feel worn out because of my work as a [helper].
20.	I have happy thoughts and feelings about those I [help] and how I could help them.
21.	I feel overwhelmed because my case [work] load seems endless.
22.	I believe I can make a difference through my work.
23.	I avoid certain activities or situations because they remind me of frightening experiences of the people I [help].
24.	I am proud of what I can do to [help].
25.	As a result of my [helping], I have intrusive, frightening thoughts.
26.	I feel "bogged down" by the system.
27.	I have thoughts that I am a "success" as a [helper].
28.	I can't recall important parts of my work with trauma victims.
29.	I am a very caring person.
30.	I am happy that I chose to do this work.

© B. Hudnall Stamm, 2009-2012. Professional Quality of Life: Compassion Satisfaction and Fatigue Version 5 (ProQOL). www.proqol.org. This test may be freely copied as long as (a) author is credited, (b) no changes are made, and (c) it is not sold. Those interested in using the test should visit www.proqol.org to verify that the copy they are using is the most current version of the test.

#### WHAT IE HY SCOTE AND WHAT DOES IT MEAN

In this section, you will score your test so you understand the interpretation for you. To find your score on each section, total the questions listed on the left and then find your score in the table on the right of the section.

#### **Compassion Satisfaction Scale**

Copy your rating on each of these questions on to this table and add them up. When you have added then up you can find your score on the table to the right.

,	
3.	
6.	
12.	
16.	
18.	····
20.	
22.	
24.	
27.	
30.	

Total:

The sum of my Compassion Satisfaction questions is	So My Score Equals	And my Compassion Satisfaction level is
22 or less	43 or less	Low
Between 23 and 41	Around 50	Average
42 or more	57 or more	High

#### **Burnout Scale**

On the burnout scale you will need to take an extra step. Starred items are "reverse scored." If you scored the item 1, write a 5 beside it. The reason we ask you to reverse the scores is because scientifically the measure works better when these questions are asked in a positive way though they can tell us more about their negative form. For example, question 1. "I am happy" tells us more about

[ I am nappy fells as more about					
You Wrote	Change to	the effects of helping			
	5	when you			
2	4	are not			
3	3	happy so			
4	2	you reverse			
5		the score			

Account of the Assessment		
*1.	=	
*4.	=	-
8.		٠.
10.		
*15.		-
*17.	=	
19.		
21.		
26.	-	
*29.	=	

0	t	a	l	:	
	0	o t	ota	otal	otal:

The sum of my Burnout Questions is	So my score equals	And my Burnout level is	
22 or less	43 or less	Low	
Between 23 and 41	Around 50	Average	
42 or more	57 or more	High	

## Secondary Traumatic Stress Scale

Just like you did on Compassion
Satisfaction, copy your rating on each of
these questions on to this table and add
them up. When you have added then up
you can find your score on the table to
the right.

Z.	-
5.	
7.	
9.	
11.	
13.	
14.	
23.	
25.	
20	and the second s

The sum of my Secondary Trauma questions is	So My Score Equals	And my Secondary Traumatic Stress level is
22 or less	43 or less	Low
Between 23 and 41	Around 50	Average
42 or more	57 or more	High

3

Total: \_\_\_\_